



**CMA Testing  
and Certification  
Laboratories**  
廠商會檢定中心

## TEST REPORT

Report No : AK043362A6-002

Date: 2016-07-01

Application No : LK384620

Applicant :

Sample Description : Nine (9) submitted samples stated to be :

- Sample(s) : (A) White rice spoon, White dipping fork, spoon and candy sticks for chocolate fondue  
(B) Transparent rice cup, transparent bottle for chocolate fondue  
(C) Glass lid of rice cooker, slow cooker and chocolate fondue  
(D) Aluminium Rice cooker body, screws  
(E) Non-stick coating on rice cooker  
(F) White ceramic body of slow cooker.  
(G) Black ceramic body of slow cooker, Black ceramic body, lid and bowl for chocolate fondue.  
(H) Forks for chocolate fondue  
(I) Plastic bags and moulds for chocolate fondue  
(J) Chocolate fondue Scoop

Model description: RCX-XXXX(The "X" can be any any alpha number character 0-9, letter A-Z or blank), MRC-XXXY(The "XXX" can be 4C, 5C, 5D, 5F, 7C, 7D, 7F, 7SB, 9C, 9D, 9F, 9SB, 10F or 12F The "Y" can be M or blank for rice cooker, NSC-XXXY, NSCDY-XXX(The "XXX" can be numerical, The "Y" can be letter A-Z or blank)for slow cooker and chocolate fondue; NSC-2X15, NSC-2X25, NSC-3X150, NSC-3X150R, NSC-3X15, NSC-3X25 for Twins slow cooker and Triple slow cooker.

Date Received : 2016-06-10

Test Period : 2016-06-10 to 2015-07-01

Test Result : 2016-07-01

Conclusion : Refer to the result(s) on page 4 to 9.

Remarks : The submitted samples A to I were found to comply with the respective requirement(s) for the tested item(s) as stated in the German Food & Feed Acts LFGB and also to comply with Regulation (EC) No. 1935/2004 (Material in contact with food regulation) & Regulation (EU) No. 10/2011.

*For and on behalf of*  
CMA Industrial Development Foundation Limited

Authorized Signature :

Page 1 of 10

Wong Tuk Chuen  
Manager,  
Chemical Division

This document is issued subject to CMA Testing standard TERMS AND CONDITIONS. Accept in full or with written approval by CMA Testing.

CMA Industrial Development Foundation Limited

Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., Hong Kong.

Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatel.com Web Site: http://www.cmatel.com



**CMA Testing  
and Certification  
Laboratories**  
廠商會檢定中心

## **TEST REPORT**

Report No : AK043362A6-002

Date: 2016-07-01

Application No : LK384620

Test Requested :

1. For material : plastics / non-stick coating  
– Overall migration test for compliance with 2002/72/EC Directive for articles intended to come into contact with foodstuffs.
2. For material : plastics / non-stick coating  
– Soluble heavy metal content
3. For material : aluminium  
– Specific Migration of 23 Heavy Metal according to Directorate for the Quality of Medicines & Healthcare Technical guide PA/PH/EMB (13) 9 and Resolution CM/Res(2013)9
4. For material : glass / ceramics  
– Leachable Lead and Cadmium content
5. For material : non-stick coating  
– Specific Migration: Phenolic substances for compliance with the Recommendation of the BfR "Kunststoffe in Lebensmittelverkehr" Part LI "Temperature Resistant Polymer Coating Systems for Frying, Cooking and Baking Utensils"
6. For material : non-stick coating  
– Specific Migration: Formaldehyde for compliance with the Recommendation of the BfR "Kunststoffe in Lebensmittelverkehr" Part LI "Temperature Resistant Polymer Coating Systems for Frying, Cooking and Baking Utensils".
7. For material : non-stick coating  
– Low- molecular components: Chromium (III) for compliance with the Recommendation of the BfR "Kunststoffe in Lebensmittelverkehr" Part LI "Temperature Resistant Polymer Coating Systems for Frying, Cooking and Baking Utensils".
8. For material : non-stick coating  
– Low- molecular components: Lithium content for compliance with the Recommendation of the BfR "Kunststoffe in Lebensmittelverkehr" Part LI "Temperature Resistant Polymer Coating Systems for Frying, Cooking and Baking Utensils"
9. For material: plastics / non-stick coating  
Primary Aromatic Amine

*For and on behalf of*  
CMA Industrial Development Foundation Limited

Page 2 of 10

Authorized Signature : \_\_\_\_\_

Wong Tuk Chuen

Manager

Chemical Division

This document is issued subject to CMA Testing standard TERMS AND CONDITIONS, and shall not be reproduced except in full or with written approval by CMA Testing.

CMA Industrial Development Foundation Limited

Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Shatin, N.T., Hong Kong.

Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatal.com Web Site: http://www.cmatal.com



**CMA Testing  
and Certification  
Laboratories**  
廠商會檢定中心

## **TEST REPORT**

Report No : AK043362A6-002

Date: 2016-07-01

Application No : LK384620

Test Method : 1. As specified in 82/711/EEC, 85/572/EEC and 97/48/EC Directives; with reference to EN 1186 : Part 3 : 2002 (total immersion method, method A) / EN 1186 : Part 9 : 2002 (article filling method) / EN 1186 : Part 14 : 2002 (substitute test).  
2. With reference to DIN 53770. Heavy metal extract was analysed by Atomic Absorption Spectrometry (AAS) and Inductively Coupled Plasma Spectrometry (ICP).  
3. Acid digestion, followed by analysis using Atomic Absorption Spectrometry (AAS) and Inductively Coupled Plasma-Atomic Emission Spectrometry (ICP-AES).  
4. With reference to DIN EN 1388 : Part 1 : 1996 and DIN EN 1388 : Part 2 : 1996.  
5. With reference to DIN 53704.  
6. Solvent extraction, followed by derivation and measured by UV-Vis Spectrometry.  
7. Solvent extraction, followed by analysis using Atomic Absorption Spectrometry (AAS).  
8. Solvent extraction, followed by analysis using Atomic Absorption Spectrometry (AAS).  
9. With reference to AS 2070.6- 1995.



**CMA Testing  
and Certification  
Laboratories**  
廠商會檢定中心

## TEST REPORT

Report No : AK043362A6-002

Date: 2016-07-01

Application No : LK384620

Test Result :

### Test 1 :

<b>Simulant Used</b>	<b>Test Conditions (For repeated use)</b>	<b>Result (mg/dm<sup>2</sup>)</b>	<b>Specification (mg/dm<sup>2</sup>)</b>
Distilled water	70°C for 2 hours	<b>A</b> 2.0	10
<b>Simulant Used</b>	<b>Test Conditions (For repeated use)</b>	<b>Result (mg/dm<sup>2</sup>)</b>	<b>Specification (mg/dm<sup>2</sup>)</b>
Distilled water	40°C for 2 hours	<b>B, I and J</b> <1.0	10
<b>Simulant Used</b>	<b>Test Conditions (For repeated use)</b>	<b>Result (mg/kg)</b>	<b>Specification (mg/kg)</b>
3% Acetic Acid	100°C for 2 hours	<b>E and K</b> 10.1	60
Rectified Olive Oil	175°C for 2 hours	<5.0	60

Note :  
1. mg/dm<sup>2</sup> Denotes milligram per square decimetre  
2. mg/kg Denotes milligram per kilogram of foodstuff in contact with  
3. °C Denotes degree Celsius  
4. The specification was quoted from 2002/72/EC Directive  
5. < Denotes less than



## TEST REPORT

Report No : AK043362A6-002

Date: 2016-07-01

Application No : LK384620

Test Result :

### Test 3 :

Elements	Result 1 <sup>st</sup> test (mg/kg)		Result 2 <sup>nd</sup> test (mg/kg)		Result 1 <sup>st</sup> test + Result 2 <sup>nd</sup> test (mg/kg)		7*Limit (mg/kg)	Result 3 <sup>rd</sup> test (mg/kg)		Limit (mg/kg)
	(D)	(H)	(D)	(H)	(D)	(H)		(D)	(H)	
Silver (Ag)	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.56	<0.05	<0.05	0.08
Aluminium (Al)	<1	<1	<1	<1	<1	<1	35	<1	<1	5
Chromium (Cr)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	1.75	<0.02	<0.02	0.250
Cobalt (Co)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.14	<0.01	<0.01	0.02
Copper (Cu)	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	28	<0.5	<0.5	4
Iron (Fe)	<1	<1	<1	<1	<1	<1	280	<1	<1	40
Manganese (Mn)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	12.6	<0.1	<0.1	1.8
Molybdenum (Mo)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.84	<0.02	<0.02	0.12
Nickel (Ni)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.91	<0.1	<0.1	0.14
Tin (Sn)	<10	<10	<10	<10	<10	<10	700	<10	<10	100
Vanadium (V)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.07	<0.005	<0.005	0.01
Zinc (Zn)	<1	<1	<1	<1	<1	<1	35	<1	<1	5
Antimony (Sb)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.28	<0.01	<0.01	0.04
Arsenic (As)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.014	<0.001	<0.001	0.002
Barium (Ba)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	8.4	<0.1	<0.1	1.2
Beryllium (Be)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.07	<0.01	<0.01	0.01
Cadmium (Cd)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.035	<0.001	<0.001	0.005
Lead (Pb)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.070	<0.005	<0.005	0.010
Lithium (Li)	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.336	<0.010	<0.010	0.048
Mercury (Hg)	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	0.021	<0.003	<0.003	0.003
Thallium (Tl)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0007	<0.0001	<0.0001	0.0001

- Note :
1. % Denotes percentage by weight
  2. The specification was quoted from EN 601 : 1995 and EN 602 : 1995
  3. < Denotes less than



**CMA Testing  
and Certification  
Laboratories**  
廠商會檢定中心

## TEST REPORT

Report No : AK043362A6-002

Date: 2016-07-01

Application No : LK384620

Test Result :

### Test 4 :

Test Item	Result (mg/L)	Specification
	C	(mg/L)
Extractable Lead	<0.1	4.0
Extractable Cadmium	<0.02	0.3

Note : 1. mg/L Denotes milligram per litre  
2. The specification was quoted from 84/500/EEC Directive for article assigned as hollowware (category 2)  
3. < Denotes less than

Test Item	Result (mg/L)		Specification
	F	G	(mg/L)
Extractable Lead	<0.1	<0.1	1.5
Extractable Cadmium	<0.02	<0.02	0.1

Note : 1. mg/L Denotes milligram per litre  
2. The specification was quoted from 84/500/EEC Directive for article assigned as large hollowware or cooking utensils (Category 3).  
3. < Denotes less than

### Test 5 :

Test Item	Result (mg/dm <sup>2</sup> )	Specification
	E and K	(mg/dm <sup>2</sup> )
Phenolic Substances	<0.01	0.05

Note : 1. mg/dm<sup>2</sup> Denotes milligram per square decimetre  
2. The specification was quoted from the recommendation BfR Part: LI Limit of Specific Migration  
3. < Denotes less than



**CMA Testing  
and Certification  
Laboratories**  
廠商會檢定中心

## TEST REPORT

Report No : AK043362A6-002

Date: 2016-07-01

Application No : LK384620

Test Result :

### Test 6 :

Test Item	Result (mg/dm <sup>2</sup> ) E and K	Specification (mg/dm <sup>2</sup> )
Formaldehyde	<0.1	2.5

- Note :
1. mg/dm<sup>2</sup> Denotes milligram per square decimetre
  2. The specification was quoted from the recommendation BfR Part: LI Limit of Specific Migration
  3. < Denotes less than

### Test 7 :

Test Item	Result (mg/dm <sup>2</sup> ) E and K	Specification (mg/dm <sup>2</sup> )
Chromium III	<0.015	0.02

- Note :
1. mg/dm<sup>2</sup> Denotes milligram per square decimetre
  2. The specification was quoted from the recommendation BfR Part: LI Limit of Low molecular components

### Test 8:

Test Item	Result (mg/dm <sup>2</sup> ) E and K	Specification (mg/dm <sup>2</sup> )
Lithium	<0.05	0.5

- Note :
1. mg/dm<sup>2</sup> Denotes milligram per square decimetre
  2. The specification was quoted from the recommendation BfR Part: LI Limit of Low molecular components
  3. < Denotes less than



**CMA Testing  
and Certification  
Laboratories**  
廠商會檢定中心

## TEST REPORT

Report No : AK043362A6-002

Date: 2016-07-01

Application No : LK384620



A



B



C



D



E



F



G



H



I



A



J



k

\*\*\*\*\* End of Report \*\*\*\*\*



## **TERMS AND CONDITIONS ("Conditions")**

1. In these Conditions, where the context permits:  
'CMA Testing' means the CMA Industrial Development Foundation Limited.  
'Service' means 'test', 'analysis', 'inspection', 'consultation', 'certification' and/or quality related service rendered by CMA Testing.  
'the Applicant' means the person, firm, company or organization who engages CMA Testing to conduct the Service.  
'the Sample' means the sample of material submitted by the Applicant to CMA Testing for the purpose of carrying out the Service, or the sample of goods contained in the shipment for Inspection.  
'Testing' and 'Test' mean the testing of a Sample conducted by CMA Testing for the Applicant and the test so carried out.  
'Inspection' means the inspection on quantity, workmanship and functional aspects of a consignment of goods by CMA Testing on behalf of the Applicant  
'the Document' means but not limited to the report/certificate on the Service issued by CMA Testing to the Applicant.
2. These Conditions shall apply to all service contracts for Service between CMA Testing and the Applicant to the exclusion of all other terms and conditions including any terms or conditions which the Applicant may purport to apply and any variation of these Conditions (including any special terms and conditions agreed between CMA Testing and the Applicant) shall be inapplicable unless the same is agreed in writing by CMA Testing.
3. CMA Testing shall have the right to reject any application for Service, without giving any reason whatsoever, before, at the time of, or after receipt of such application.
4. The Document is confidential to the Applicant. CMA Testing shall not be under any obligation to discuss the Document or any of its contents with any party other than the Applicant unless written authorization is granted by the Applicant. The Applicant hereby irrevocably authorizes CMA Testing to send the Document to any third party as notified by the Applicant to CMA Testing by notice in writing or to such other party as CMA Testing may think fit having regard to the circumstances, trade custom, usage or practice.
5. The Document shall be treated by the Applicant, its employees, agents, sub-contractors, subsidiaries and/or affiliates as a private and confidential document and shall not be used for any purpose in connection with advertising, save and except with the written permission from CMA Testing.
6. In the event of improper use of the Document, CMA Testing reserves the right to withdraw it, and to take such measures as it may think fit to prevent such improper usage and CMA Testing shall be entitled to obtain an injunction or other equitable relief in addition to any other rights and remedies which CMA Testing may have at common law and/or under any statute.
7. The Applicant shall provide sufficient instructions and information, technical and commercial, such as standard, criteria, drawing, inspection plan, etc., to enable CMA Testing to carry out the Service efficiently and professionally. It shall be the responsibility of the Applicant to ascertain and notify CMA Testing of the standards which the Sample must comply in any country or territory in which the same is intended to be sold. In default of specific instructions from the Applicant, CMA Testing shall be of liberty, and without incurring any commercial risk or liability, to use whatever testing methods and standards or inspection plan, specifications and/or criteria which it considers appropriate and shall not necessarily give notification in advance while the Applicant may consult CMA Testing for clarification. Where the Sample is known or suspected to be hazardous or dangerous, the Applicant shall disclose such information to CMA Testing at the time of submission of its application for Service or immediately upon notice of such information, whichever is earlier.
8. The Test report relates exclusively to the Sample being tested and will not apply to the bulk, unless sampling has been carried out by CMA Testing, and is stated to have been so carried out in the Test report. The Inspection report/certificate reflects only the findings at time and place of the Inspection only.
9. If in the opinion of CMA Testing the size of the Sample is too small to enable the Test to be carried out effectively, such sample may still be accepted for Testing but the Test report will be properly endorsed to reflect such fact.
10. Sample which has been used for Testing or sample from Inspection will be destroyed at the expiration of a period of 30 days from the date of the Test report or Inspection report/certificate unless the Applicant has made special arrangements in advance with CMA Testing regarding the disposal thereof. The Applicant will be responsible for the collection of any Sample, tested or untested, agreed to be returned to the Applicant at its own costs and expenses. The Applicant expressly acknowledges that it assumes the entire responsibility in relation to the Sample and CMA Testing shall not be liable for any loss, damage or destruction to the Sample (whether or not the Sample has been used for Testing or sampled from Inspection). The Applicant should at its own costs and expenses maintain sufficient policy of insurance to protect itself against any loss, damage or destruction to the Sample.
11. CMA Testing may delegate the performance of its Service to its agents or subcontractors, either in whole or in part.
12. All warranties, terms, conditions and representation of any kind, express or implied which may arise out of the information contained in Document are hereby expressly excluded by CMA Testing. In the event of any inaccurate information contained in the Document which is caused by the negligence or willful default on the part of CMA Testing, CMA Testing's liability shall be limited to the amount of fee paid by the Applicant to CMA Testing for carrying out the Service as referred to in the Document.
13. In the event of loss or damage caused to the Applicant as a result of the negligence or willful default of CMA Testing, the liability of CMA shall be limited to three times of the amount of fee paid by the Applicant to CMA Testing for Service which gives rise to the claim for loss or damage.
14. The Applicant's right to damages shall be extinguished if an action is not brought within one year from the date of issuance of the Document or, from the date on which the Document ought to be issued in the case of any alleged non-performance on the part of CMA Testing.
15. CMA Testing will use its best endeavours to ensure that the Service is carried out in accordance with the applicable standards of testing, inspection and certification. For the avoidance of doubts, the Applicant expressly acknowledges that CMA Testing shall not be liable to the Applicant or any third party for any indirect, special and/or consequential loss or damage, including but not limited to loss of profits under any circumstances whether or not such loss or damage is caused by the error, negligence, misdescription, misjudgement or default whatsoever on the part of CMA Testing, its associate, subsidiary, agent, sub-contractor or employee and the liability of CMA Testing shall be limited to the amount stated in paragraphs 12 and 13 hereto .
16. The Document may not be reproduced in full or in part except with the written approval from CMA Testing.
17. In the event that the Document is required to be used in any Court or Arbitration proceedings, CMA Testing will render all assistance and explanation as may be reasonably required in the circumstances provided that all costs and expenses of CMA Testing arising out of or incidental to the said proceedings shall be borne and paid by the Applicant.  
  
Save and except with the written approval from CMA Testing, CMA Testing shall not be called or liable to be called to give evidence in any Court or Arbitration proceedings by subpoena or otherwise. CMA Testing reserves its right to take part in any action for or against the Applicant.
18. In the event that CMA Testing is not able to complete the Service at the fee originally agreed with the Applicant due to problem associated with the characteristics of the Sample or unforeseeable events including but not limited to the shortage or rise in the costs of labour, material or otherwise, then CMA shall be entitled to charge additional fee to the Applicant.
19. The Applicant shall pay the fee punctually on the date specified in the relevant debit note or invoice or within such period as may be agreed by CMA Testing in writing. If any sum payable by the Applicant has not been paid when due, the Applicant shall pay to CMA Testing interest on such sum on a daily basis from the due date until payment at a rate of 2% per annum over the prime lending rate for Hong Kong dollars quoted from time to time by The Hongkong and Shanghai Banking Corporation Limited.  
  
All payments made by the Applicant to CMA Testing shall be made in full without demand, deduction, set-off or counterclaim whatsoever.  
  
The Applicant shall also reimburse or pay to CMA Testing all expenses and charges (including legal costs on a solicitor and the Applicant basis) incurred by CMA Testing in connection with the demand for payment of any sum owed to CMA Testing by the Applicant and enforcement of any other provisions contained in these Conditions in Court or otherwise.
20. The Applicant agrees with CMA Testing to indemnify and keep indemnified CMA Testing from and against all demands, claims, liabilities (whether criminal or civil), losses, costs and expenses whatsoever (including legal costs and expenses) which CMA Testing may suffer or incur arising out of or in connection with the performance of its services to the Applicant.
21. If the Applicant fails to pay any sum due under these Conditions, ceases or threatens to cease business, makes or offers to make any arrangements or composition with creditors or commits an act of bankruptcy, or if a receiving order is made against it, or if any resolution or petition is passed or made for its winding up (other than for the purpose of amalgamation or reconstruction), or if an administrator, administrative receiver, receiver or manager is appointed of any business, assets or undertakings, or if it takes or suffers the seizure of any assets for non-payment of any debt or if it takes or suffers any similar or analogous action in consequence of debt, then without prejudice to any other rights and remedies which CMA Testing may have and without being liable for any loss or damage occasioned thereby, CMA Testing may forthwith suspend or, at its option, terminate all future services to the Applicant.
22. If any provisions contained in these Conditions shall be prohibited by law or adjudged by a court or other competent authority to be unlawful, void, or unenforceable, such provisions shall to the extent required be severed from these Conditions and rendered ineffective as far as possible without modifying the remaining provisions of these Conditions and shall not in any way affect any other circumstances of or the validity or enforcement of these Conditions.
23. For the Document sent to the Applicant by ordinary mail, CMA Testing will not be responsible for its loss or damage. The Document will be sent to the Applicant by registered post upon request and payment of all costs and expenses occasioned thereby.
24. Application received after 4:00 p.m. by CMA Testing will be treated as an application submitted on the following working day. For the avoidance of doubts, Sunday or Public Holiday is not treated as working day and Saturday is counted as a half working day.
25. Unless the context otherwise requires, words denoting the singular shall include the plural and vice versa and words denoting any one gender shall include all genders and words denoting persons shall include bodies corporate, unincorporated associations and partnerships.
26. These Conditions shall be governed by and construed in accordance with the law of Hong Kong Special Administrative Region and each party agrees to submit to the exclusive jurisdiction of the courts of Hong Kong Special Administrative Region.
27. CMA Testing reserves its right to amend these Conditions and the amount of fees charged by it for Service from time to time without prior notice.