

CERTIFICATE

PRÜFBESCHEINIGUNG NACH DEM PRODUKTSICHERHEITSGESETZ
(TEST CERTIFICATE IN COMPLIANCE WITH THE PRODUCT SAFETY LAW)

Bescheinigungs-Nr. (Certificate No.): **07SHH0551-07**

Gültig bis (valid until): **2023-09-20**

Das Produkt entspricht den Anforderungen des Produktsicherheitsgesetzes (ProdSG) § 21 (1) hinsichtlich der Gewährleistung von Sicherheit und Gesundheit und entspricht den derzeit anerkannten Regeln der Technik.

Die Kennzeichnungspflichten des Produktes gemäß §6 ProdSG sind einzuhalten.

(The product is in compliance with the judicial requirements of the Product Safety Law (ProdSG) § 21 (1) and the currently accepted rules of technology. The marking requirements of the product based on §6 ProdSG have to be observed)

Bescheinigungsinhaber
(Certificate Holder)

Markenname (Brandname)
Fertigungsstätte
(Manufacturing Site)

Produkt
(Product)

Haarschneidemaschine für den Hausgebrauch
Hair clipper for household use

Typbezeichnung
(Type)

JY-46, (**=00, 01, 02, 03, 04, 05, 07, 08, 09, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 21, 28, 22, 23, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58); JY-50**, (**=11, 12, 13, 15, 16, 17); JY-66**, (**=01, 02, 03, 04, 05, 06, 07, 08, 09, 10); JY-7**, (**=02, 03, 04, 32, 35, 36, 38, 74); JY-8**, (**=03, 10); JY-9**, (**=01, 07, 08, 09, 38, 39, 41, 97, 98, 99); JY-11**, (**=05, 06, 07); PR-1868**

Beschreibung
(Description)

Schutzklasse II (Class II), 50Hz, Nennbetriebsdauer (Rated operating time): 10min, JY-46, JY-50**, JY-66**, JY-7**, JY-810, JY-901, JY-907, JY-908, JY-909, PR-1868: 230V, 10W; JY-803, JY-938, JY-939, JY-941, JY-997, JY-998, JY-999, JY-11**: 230V, 12W oder/or 220-240V, 12W**

Prüfbericht-Nr.
(Test Report No.)

HZ09060465-EMF01:2009-07-22
JSH006110909-001:2007-02-08

Einzelheiten siehe Anhang (Details see attachment)

Geprüft nach
(Tested according to)

EN 62233:2008
PAK-Anforderung für GS (PAH requirement for GS) AfPS GS 2014:01 PAK
EN 60335-2-8:2015+A1:16
EN 60335-1:2012+A11:14+A13:17

Ersetzt Zertifikat (Replaces certificate) **07SHH0551-06**

Intertek Deutschland GmbH
M.Eng. Gary Hu
Datum (Date): 2018-09-21



Seite (page) 1/2

Dem Zertifikat liegen die Allgemeinen Geschäftsbedingungen der Intertek Deutschland GmbH zu Grunde.
The General Business Conditions of Intertek Deutschland GmbH is an integral part of this certificate.

Intertek Deutschland GmbH, Stangenstraße 1, 70771 Leinfelden-Echterdingen
Tel.: +49 711 27311-0 E-Mail: gs@intertek.com web: www.intertek.de/zeichen

Hinweise

Der Bescheinigungsinhaber bzw. sein für die Herstellung Verantwortlicher verpflichtet sich, sein Produkt in Übereinstimmung mit dem geprüften Baumuster herzustellen, die Festlegungen zur Bereitstellung von Produkten auf dem Markt nach § 3 und § 6 ProdSG einzuhalten und Intertek Kontrollmaßnahmen zur Überwachung der Herstellung und rechtmäßigen Verwendung des GS-Zeichens nach § 22 Abs. 1 ProdSG zu ermöglichen. Am Produkt oder in der zugehörigen Dokumentation sind der Name und die Kontaktanschrift des Herstellers oder – sofern dieser nicht im europäischen Wirtschaftsraum ansässig ist – des Bevollmächtigten oder des Einführers in den europäischen Wirtschaftsraum gemäß § 6 Abs. 1 Ziff. 2 ProdSG anzugeben. Diese Baumusterprüfbescheinigung berechtigt den Bescheinigungsinhaber alle mit dem oben bezeichneten Baumuster identischen Geräte mit dem abgebildeten GS Zeichen zu versehen.

Die Bescheinigung wird ungültig, wenn der Inhaber seinen oben genannten Verpflichtungen nicht nachkommt oder sich die Voraussetzungen nach § 21 des ProdSG geändert haben.

Diese Bescheinigung ist nur für den Gebrauch durch Intertek-Kunden bestimmt und wird gemäß der vertraglichen Vereinbarung zur Verfügung gestellt. Intertek übernimmt keine Haftung zu jedweder Partei außer gegenüber dem Kunden gemäß vertraglicher Vereinbarung für irgendeinen Verlust, Unkosten oder Beschädigung, die durch den Gebrauch dieser Bescheinigung verursacht werden. Nur der Kunde ist autorisiert, diese Bescheinigung zu kopieren oder zu verteilen und dann nur in ihrer Gesamtheit. Die Benutzung des Intertek-Prüfzeichens ist an die vertraglichen Vereinbarungen gebunden. Jegliche weitere Verwendung des Intertek-Namens zum Zwecke des Verkaufs oder der Bewerbung des geprüften Materials, Produktes oder des Services bedarf einer vorherigen schriftlichen Genehmigung durch Intertek. Erst- und Folgebesichtigungen der Fertigung dienen der Sicherstellung der vertraglich vereinbarten Prüfzeichenbenutzung und dienen nicht dem Zweck einer vollständigen Kontrolle der Produktionsqualität gemäß der Herstellerverantwortung und sie entbinden nicht den Kunden von seinen Verpflichtungen.

Notes

The certificate holder or his designated representative commit themselves to manufacture the product in accordance with the tested samples to meet the requirements on providing products in the market according to § 3 and § 6 ProdSG and to enable Intertek to monitor the manufacturing process and the lawful use of the GS certification according to § 22 Para 1 ProdSG. The name and the contact address of the manufacturer or – if the manufacturer is not based in the European Economic Area – of the Importer to the European Economic Area or his representative have to be applied at the product or the documentation according to § 6 (1) 2. ProdSG. This type examination certificate entitles the certificate holder to mark all devices that are identical to the above-designated sample with the logo as shown below.

This certificate becomes invalid if the holder does not meet the commitments described above or the requirements according to § 21 of the ProdSG are changed.

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the certification agreement between Intertek and its client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the certification mark in accordance with the agreement, they are not for the purposes of complete production quality control in the manufacturers responsibility and do not relieve the Client of their obligations in this respect.

Attachment to Certificate No.: 07SHH0551-07

Constructional Data Form (CDF)

Certificate Holder:	
Manufacturing Site:	
Product: (in German)	Haarschneidemaschine für den Hausgebrauch
Product: (in English)	Hair clipper for household use
Type:	JY-46**, (**=00, 01, 02, 03, 04, 05, 07, 08, 09, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 21, 28, 22, 23, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58); JY-50**, (**=11, 12, 13, 15, 16, 17); JY-66**, (**=01, 02, 03, 04, 05, 06, 07, 08, 09, 10); JY-7**, (**=02, 03, 04, 32, 35, 36, 38, 74); JY-8**, (**=03, 10); JY-9**, (**=01, 07, 08, 09, 38, 39, 41, 97, 98, 99); JY-11**, (**=05, 06, 07); PR-1868
Brandname:	---
Description:	Class II, 50Hz, Rated operating time: 10min, JY-46**, JY-50**, JY-66**, JY-7**, JY-810, JY-901, JY-907, JY-908, JY-909, PR-1868: 230V, 10W; JY-803, JY-938, JY-939, JY-941, JY-997, JY-998, JY-999, JY-11**: 230V, 12W or 220-240V, 12W
Test Report No.:	HZ09060465-EMF01:2009-07-22 HZ09060465-EMF01+A1:2012-09-24 HZ09060465-EMF01+A2:2013-05-28 HZ09060465-EMF01+A3:2014-05-08 HZ09060465-EMF01+A4:2015-11-05 HZ09060465-EMF01+A5:2018-08-13 JSH006110909-001:2007-02-08 JSH006110909-001+A1:2009-09-22 JSH006110909-001+A2:2011-11-28 JSH006110909-001+A3:2012-09-27 JSH006110909-001+A4:2013-06-09 JSH006110909-001+A5:2014-07-07 JSH006110909-001+A6:2015-11-05 JSH006110909-001+A7:2018-08-23
Tested according to:	EN 62233:2008 PAK-Anforderung für GS (PAH requirement for GS) EN 60335-2-8:2015+A1:16 EN 60335-1:2012+A11:14+A13:17
Valid until:	2023-09-20
Issued on:	2018-09-21



Attachment to Certificate No.: 07SHH0551-07

Product Information:

General product information

Products covered by this test report are hand-held hair clippers for household and indoor use only, and only for short time working duration, as a rated operating time for 10 minutes.

An adjustable blade lever is employed by the side of cutting head, for adjust blade to fit in with skin and hair.

All models share almost the same electric circuit, cutting head and construction except appearance, magnetic coil, position of switch, shape of switch cover and cord bushing. More details refer to photograph documents for test report.

JY-50** series incorporate a power screw for adjust the power, which other series are not employed.

JY-66** series employ an additional adjustable blade lever on the upper side of the front enclosure.

PR-1868 is same JY-4638 as except model number.

Copy of marking plate

(representative)



Remark: the labels of other models are same except for model name and ratings.

When the equipment is vended to Germany, then name and address of the importer or authorized representative within the EEA shall be added on the equipment.

Product Pictures



Attachment to Certificate No.: 07SHH0551-07

List of Critical Components

Object / part No.	Manufacturer/ trademark	Type / model	Technical data	Standard	Mark(s) of conformity ¹⁾
Power plug	Ningbo Qiaopu Electric Co., Ltd.	D01	250V~, 2,5A Standard sheet 1 or EN 50075	DIN VDE 0620-101	VDE*/ 40001746
-alternative	Yuyao Yuxiang Electric Appliances Co., Ltd.	YXD-01	250V~, 2,5A Standard sheet 1 or EN 50075	DIN VDE 0620-101	VDE*/ 40013307
-alternative	Ningbo Yuxin Electrical Appliance Co., Ltd.	YX01	250V~, 2,5A Standard sheet 1 or EN 50075	DIN VDE 0620-101	VDE*/ 40021770
-alternative	Yuyao Yuxiang Electric Appliances Co., Ltd.	YXD-02	250V~, 16A DIN 49406-R	DIN VDE 0620-1	VDE*/ 40009922
Power cord	Yuyao Yuxiang Electric Appliances Co., Ltd.	H03VVH2-F	2x0,5mm ² (1,7m ≤ length of cord ≤ 2m) or 2 x 0,75mm ² (1,7m ≤ length of cord)	EN 50525-2-11	VDE*/ 40005361
-alternative	Ningbo Yuxin Appliance Co., Ltd.	H03VVH2-F	2x0,5mm ² (1,7m ≤ length of cord ≤ 2m) or 2 x 0,75mm ² (1,7m ≤ length of cord)	EN 50525-2-11	VDE*/ 40010786
Switch		KC-888	250V~, 6A, tested under rated voltage of appliance 230V~, 50Hz	EN 60335-2-8	Tested with appliance
Magnetic coil for JY-46** series, JY-7**, (**=32, 35, 36, 38, 74); JY-8** series, JY-9** series, JY-11** series, PR-1868		JY-M4	664 ohm (19°C), Class 105	EN 60335-2-8	Tested with appliance
Magnetic coil for JY-50** series		JY-M5	926,2 ohm (22°C), Class 105	EN 60335-2-8	Tested with appliance
Magnetic coil for JY-66** series		JY-M6	703,4 ohm (23°C), Class 105	EN 60335-2-8	Tested with appliance
Magnetic coil for JY-7**, (**=02, 03, 04		JY-M7	829 ohm (23°C), Class 105	EN 60335-2-8	Tested with appliance
Fiberglass sleeving	Ningbo Hopewell Insulation Material Co., Ltd.	SRG-504	600V~, 200°C, Ø5 mm, (UL/E238349)	EN 60335-2-8	Tested with appliance
Heat-shrinkable tube	Shenzhen Woer Heat-Shrinkable Material Co Ltd	RSFR-H	600V, 125°C, VW-1 (UL/E203950)	EN 60335-2-8	Tested with appliance
Insulation washer for power adjust screw for JY-50** series only	Liaoning Huajin Chemical (Group) Co., Ltd.	PP+ fiberglass	Min. thickness: 1,2mm	EN 60335-2-8	Tested with appliance
Bobbin of winding	Liaoning Huajin Chemical (Group) Co., Ltd.	PA	Min. thickness: 1,2mm	EN 60335-2-8	Tested with appliance
Enclosure	Liaoning Huajin Chemical (Group) Co., Ltd.	ABS	Min. thickness: 1,3 mm	EN 60335-2-8	Tested with appliance
Alternative	Liaoning Huajin Chemical (Group) Co., Ltd.	PC	Min. thickness: 1,3 mm	EN 60335-2-8	Tested with appliance

Attachment to Certificate No.: 07SHH0551-07

Object / part No.	Manufacturer/ trademark	Type / model	Technical data	Standard	Mark(s) of conformity ¹⁾
Switch cover (Blade lever, Comb)	Liaoning Huajin Chemical (Group) Co., Ltd.	ABS	Min. thickness: 1,3 mm	EN 60335-2-8	Tested with appliance
¹⁾ An asterisk indicates a mark which assures the agreed level of surveillance.					
²⁾ All PAHS parts refer to PAH evaluation report 150900030HZH-001-PAH and its Amendment.					

Modification Summary

The following changes have been made to this CDF:

Date	Local Project no.	Description of Change
2009-09-22	HZ09060465	Standards updated; Changed original model names from "A03-50xx", "NA-5013" to "JY-4604", "JY-5013" separately; Added new models JY-46**, (**=00, 01, 02, 03, 05, 07, 08, 09, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 21), JY-50**, (**=11, 12, 15, 16, 17), JY-66**, (**=01, 02, 03, 04, 05, 06, 07); Changed the model names of magnetic coil; Added alternative power plug and power cords; Added alternative switch which is tested with appliance; Listed materials which are considered after PAHs evaluation in components list.
2011-11-28	HZ11110363	Added alternative power plugs.
2012-09-27	HZ12080594	Standards updated. Added new model JY-4628. Updated PAHs evaluation.
2013-06-09	130400351HZH	1. EN 60335-1: 2002+ A11, A1:04 +A12, A2:06 +A13:08+ A14:10+ A15:11 updated to EN 60335-1:2012; 2. Add new models JY-702, JY-703, JY-704, JY-6608, JY-6609, JY-6610, JY-46**, (**=22, 23, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36); a. JY-46**, (**=22, 23, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36) are same as other models in JY-46** series, except the different decoration on top cover. b. JY-6608, JY-6609, JY-6610 are same as other models in JY-66** series, except the different decoration on top cover and switch cover. c. JY-702, JY-703, JY-704 are same except the different decoration on top cover and use different magnetic coil with other models. 3. Alternative plug and supply cord added. 4. New magnetic coil JY-M7 added for JY-702, JY-703, JY-704.
2014-07-07	140500118HZH	1. Added new model JY-901, which is the same with JY-46**, only different enclosure and switch cover. 2. Add alternative bottom enclosure material PC for all models.
2015-11-05	150900030HZH	1. Standard updated. AC:2014+A11:2014 of EN 60335-1 added. 2. New model added, JY-732, JY-735, JY-736, JY-738, JY-774, JY-810, JY-907, JY-908, JY-909, JY-4637, JY-4638, JY-4639, JY-4640, JY-938, JY-939, JY-941, JY-997, JY-998, JY-999, JY-803, JY-1105, JY-1106, JY-1107, the same with JY-46**, only different enclosure, switch cover and different rated voltage, rated power input. 3. PAH updated to AfPS GS 2014:01 PAK; 4. Delete the power cord manufactured by: Yuyao Jingyi Electronics Co., Ltd.; 5. Delete the switch: HF-606xx and R6.
2018-08-23	180800215HZH	1. Standard updated from EN 60335-2-8:2003+A1:05+A2:08 and EN 60335-1:2012+AC:2014+A11:2014 to EN 60335-2-8:2015+A1:2016 and EN 60335-1:2012+A11:2014+A13:2017. 2. Added new models JY-46**, (**=41, 42, 43, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58) which are same as with JY-46** except the top cover of the appliance, details refer to photo. 3. Added new model PR-1868 which is same as JY-4638 except model number.

Attachment to Certificate No.: 07SHH0551-07

This CDF replaces previously issued CDF dated 2015-11-18

Signed



Date **2018-09-21**